# **SAFETY DATA SHEET**



Revision Date 06/14/2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	<b>Product identifiers</b> Product name	: Carboxyl Quantum dots			
	Product Number	: QSH620			
	Manufacturer	: Ocean Nanotech, LLC			
1.2	Relevant identified uses	of the substance or mixture and uses advised against			
	Identified uses	: Laboratory chemicals, Manufacture of substances			
1.3	Supplier Details				
	Manufacturer/Supplier	: Ocean Nanotech, LLC			
		7964 Arjons Drive Suite G			
		San Diego, CA 92126			
		United States			
	Telephone	: +1 858 689-8808			
	Fax	: +1 858 689-8809			
	Email	: info@oceannanotech.com			

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 1A), H350 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Page 1 of 12

Hazard statement(s)	
H350	May cause cancer.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

- Synonyms
- : Fluorescent nanocrystals QDs

Component		Classification	Concentration			
Maleic anhydrate-methyl vinyl ether copolymer						
CAS-No. EC-No.	9011-16-9 618-469-0	Skin Irrit. 2; Eye Irrit. 2A; H315, H319	>= 1 - < 5 %			
Octadecylamine						
CAS-No. EC-No. Index-No.	124-30-1 204-695-3 612-282-00-8	Skin Irrit. 2; Eye Dam. 1; STOT RE 2; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H315, H318, H373, H304, H400, H410 M-Factor - Aquatic Acute: 10	>= 0.1 - < 1 %			
Cadmium selenide						
CAS-No. EC-No. Index-No.	1306-24-7 215-148-3 034-002-00-8	Acute Tox. 3; Acute Tox. 4; Carc. 1A; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H312, H350, H373, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	>= 0.1 - < 1 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Not combustible. Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6:** Accidental release measures

# **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains.

Page 3 of 12

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** Tightly closed.

## Storage stability

Recommended storage temperature 2 - 8 °C

Do not freeze. Storage class (TRGS 510): 12: Non Combustible Liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
Component	CAS-NO.	value		Dasis	
			parameters		
Cadmium selenide	1306-24-7	TWA	0.2 mg/m3	USA. Occupational Exposure	
				Limits (OSHA) - Table Z-1	
				Limits for Air Contaminants	
		TWA	0.01 mg/m3	USA. ACGIH Threshold Limit	
				Values (TLV)	
	Remarks	Suspected human carcinogen			
		TWA	0.002 mg/m3	USA. ACGIH Threshold Limit	
				Values (TLV)	
		Suspected human carcinogen			
		TWA	0.2 mg/m3	USA. ACGIH Threshold Limit	
				Values (TLV)	
		PEL	0.005 mg/m3	OSHA Specifically Regulated	
				Chemicals/Carcinogens	
		OSHA specifically regulated carcinogen			
		Potential Occupational Carcinogen			

TWA	0.2 mg/m3	USA. NIOSH Recommended Exposure Limits
PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Cadmium selenide	1306-24-7	cadmium	5 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	5µg/g creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical	•		

## 8.2 Exposure controls

## Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

not required

## **Respiratory protection**

Not required; except in case of aerosol formation.

## **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

- a) Appearance Form: dispersion Color: yellow-orange b) Odor No data available No data available c) Odor Threshold No data available d) pH e) Melting No data available point/freezing point f) Initial boiling point No data available and boiling range
- g) Flash point ()No data available

h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	Not applicable
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

## **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3 Possibility of hazardous reactions** Violent reactions possible with: The generally known reaction partners of water.

## **10.4 Conditions to avoid**

no information available

**10.5 Incompatible materials** Strong oxidizing agents

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

## SECTION 11: Toxicological information

## **11.1 Information on toxicological effects**

#### Mixture

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

#### **Skin corrosion/irritation** No data available

#### Serious eye damage/eye irritation No data available

**Respiratory or skin sensitization** No data available

## Germ cell mutagenicity

## Carcinogenicity

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium selenide)

3 - Group 3: Not classifiable as to its carcinogenicity to humans (Cadmium selenide)

- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

#### Specific target organ toxicity - single exposure No data availableSpecific target organ toxicity - repeated exposure No data available

## Aspiration hazard

No data available

## **11.2 Additional Information**

Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

## Components

#### Maleic anhydrate-methyl vinyl ether copolymer

## Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

Carcinogenicity

**Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

#### Octadecylamine

#### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available

Dermal: No data available

LD50 Intraperitoneal - Mouse - 250 mg/kg

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation Eyes - Rabbit

Result: Risk of serious damage to eyes. - 24 h

(OECD Test Guideline 405)

**Respiratory or skin sensitization** No data available

## Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative

#### Carcinogenicity

**Reproductive toxicity** No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard

May be fatal if swallowed and enters airways.

## Cadmium selenide

#### **Acute toxicity**

No data available

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l (Expert judgment) Inhalation: No data available

Dermal: No data available

No data available

## Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 4 h (OECD Test Guideline 431) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

## Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 1 h (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

#### Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

#### Germ cell mutagenicity

Ames test Escherichia coli/Salmonella typhimurium Result: negative

#### Carcinogenicity

# **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

## Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. -Kidney, Bone Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Aspiration hazard

No data available

## **SECTION 12: Ecological information**

## **12.1 Toxicity**

#### **Mixture** No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

## Components

# Maleic anhydrate-methyl vinyl ether copolymer

No data available

## Octadecylamine

No data available

## Cadmium selenide

No data available

Toxicity to daphnia	semi-static test EC50 - Daphnia magna (Water flea) - 0.031
and other aquatic	mg/l  - 48 h
invertebrates	(OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 0.084 mg/l - 72 h (OECD Test Guideline 201)

## SECTION 13: Disposal considerations

## **13.1** Waste treatment methods

## Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

## IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octadecylamine, Cadmium selenide) Marine pollutant : yes

## ΙΑΤΑ

UN number: 3082 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Octadecylamine, Cadmium selenide) **Further information** Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

## SECTION 15: Regulatory information

## SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Chronic Health Hazard

## Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

water	CAS-No. 7732-18-5	Revision Date
New Jersey Right To Know Components water	CAS-No. 7732-18-5	Revision Date
Maleic anhydrate-methyl vinyl ether copolymer	9011-16-9	

## **SECTION 16: Other information**

#### Further information

Copyright 2019 Ocean Nanotech LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Ocean Nanotech shall not be held liable for any damage resulting from handling or from contact with the above product. See www.oceannanotech.com for additional terms and conditions of sale.