SAFETY DATA SHEET

Revision Date 06/14/2019



| SEC | TION 1: Identification | of the substance/mixture and of the company/undertaking | | | |
|-----|-------------------------------------|---|--|--|--|
| 1.1 | Product identifiers Product name | [:] Quantum Dots in Toluene | | | |
| | Product Number | : QSR425 | | | |
| | Manufacturer | : Ocean Nanotech, LLC | | | |
| 1.2 | Relevant identified use | s of the substance or mixture and uses advised against | | | |
| | Identified uses | : Laboratory chemicals, Manufacture of substances | | | |
| 1.3 | Supplier Details | | | | |
| | Manufacturer/Supplier | : Ocean Nanotech, LLC | | | |
| | | 7964 Arjons Drive Suite G | | | |
| | | San Diego, CA 92126 | | | |
| | | United States | | | |
| | Telephone | : +1 858 689-8808 | | | |
| | Fax | : +1 858 689-8809 | | | |
| | Email | : info@oceannanotech.com | | | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 1A), H350 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure (Category 2), H373 Aspiration hazard (Category 1), H304 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word | Danger |
|----------------------------|---|
| Hazard statement(s) | |
| H225 | Highly flammable liquid and vapor. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H350 H361 | May cause cancer. |
| H373 | Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated |
| 11575 | exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ ventilating/ lighting/ equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P271 P273 | Use only outdoors or in a well-ventilated area. Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face |
| 1200 | protection. |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. |
| | Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P331 | Do NOT induce vomiting. |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |
| P337 + P313 | If eye irritation persists: Get medical advice/ attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P391 | Collect spillage. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 P501 | Store locked up. Dispose of contents/ container to an approved waste disposal |
| LOCI | Dispose of contents, container to an approved waste disposal |

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms

: Fluorescent nanocrystals, QDs

| Component | | Classification | Concentration |
|--|--|--|---------------------|
| Toluene | | | |
| CAS-No. EC-No. Index-No. Registration number | 108-88-3 203-625-9 601-021-00-3 01-2119471310-51- XXXX | Flam. Liq. 2; Skin Irrit. 2; Repr. 2; STOT SE 3; STOT RE 2; Asp. Tox. 1; Aquatic Acute 2; Aquatic Chronic 3; H225, H315, H361, H336, H373, H304, H401, H412 Concentration limits: 20 %: STOT SE 3, H336; | >= 90 - <= 100 % |
| Octadecylamine | | | |
| CAS-No. EC-No. Index-No. | 124-30-1 204-695-3 612-282-00-8 | Skin Irrit. 2; Eye Dam. 1; STOT RE 2; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H315, H318, H373, H304, H400, H410 M-Factor - Aquatic Acute: 10 | >= 1 - < 5 % |
| Cadmium selenide | | | |
| CAS-No. EC-No. Index-No. | 1306-24-7 215-148-3 034-002-00-8 | Acute Tox. 3; Acute Tox. 4; Carc. 1A; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H312, H350, H373, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10 | >= 1 - < 5 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

Unsuitable extinguishing media Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Cadmium/cadmium oxides Zinc/zinc oxides Selenium/selenium oxides

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Advice on protection against fire and explosion

Use explosion-proof equipment. **Advice on protection against fire and explosion** Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Do not freeze. Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|-----------|----------|-------------|-----------------------|---|
| Toluene | 108-88-3 | TWA | 100 ppm 375 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | STEL | 150 ppm 560 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | TWA | 200 ppm | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | Remarks | Z37.12-196 | 57 | |
| | | CEIL | 300 ppm | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | Z37.12-1967 | | |

Page 5 of 15

| | | Peak | 500 ppm | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
|------------------|-----------|---------------|--|--|
| | | Z37.12-196 | 57 | |
| | | TWA | 20 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | | roductive loss :ion | is a Biological Exposure Index n) |
| | | Not classifia | able as a human | carcinogen |
| | | TWA | WA 100 ppm USA. NIOSH Recommended 375 mg/m3 Exposure Limits | |
| | | ST | 150 ppm 560 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| Cadmium selenide | 1306-24-7 | TWA | 0.2 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 0.01 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Suspected | human carcinog | en |
| | | TWA | 0.002 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Suspected | human carcinog | en |
| | | TWA | 0.2 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | | OSHA Specifically Regulated Chemicals/Carcinogens | |
| | | OSHA speci | fically regulated | carcinogen |
| | | Potential O | ccupational Carc | inogen |
| | | TWA | 0.2 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | PEL | 0.2 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|-----------|----------|----------------|--------------|---------------------|--|
| Toluene | 108-88-3 | Toluene | 0.02 mg/l | In blood | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Prior to last | shift of wor | kweek | |
| | | Toluene | 0.03 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | End of shift (| As soon as | possible after exp | oosure ceases) |

| | | o-Cresol | 0.3mg/g Creatinin e | Urine | ACGIH - Biological Exposure Indices (BEI) |
|---------------------|-----------|----------------|---------------------------|--------------------|--|
| | | End of shift (| As soon as | possible after exp | osure ceases) |
| Cadmium selenide | 1306-24-7 | cadmium | 5 µg/I | In blood | ACGIH - Biological Exposure Indices (BEI) |
| | | Not critical | | | |
| | | cadmium | 5µg/g creatinin e | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | Not critical | • | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid Color: green, dark red

| b) | Odor | No data available |
|-----|--|-------------------|
| c) | Odor Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | No data available |
| f) | Initial boiling point and boiling range | No data available |
| g) | Flash point | 4 °C (39 °F) |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapor pressure | No data available |
| I) | Vapor density | No data available |
| m) | Relative density | No data available |
| n) | Water solubility | insoluble |
| o) | Partition coefficient: n-octanol/water | No data available |
| p) | Autoignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| Otł | ner safety informatio | n |

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials Strong oxidizing agents

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

No data available

Acute toxicity estimate Inhalation - 4 h - 24.58 mg/l (Calculation method)

Acute toxicity estimate Dermal - > 5,000 mg/kg (Calculation method) No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: 1 Group 1: Carcinogenic to humans (Cadmium selenide)
 - 3 Group 3: Not classifiable as to its carcinogenicity to humans (Cadmium selenide)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available**Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

11.2 Additional Information

Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Components

Toluene

Acute toxicity

LD50 Oral - Rat - male - 5,580 mg/kg (Tested according to Directive 92/69/EEC.) LC50 Inhalation - Rat - male and female - 4 h - 25.7 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - > 5,000 mg/kg Remarks: (ECHA) No data available

Skin corrosion/irritation

Skin - Rabbit Result: irritating - 4 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: slight irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

Germ cell mutagenicity

In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative Ames test S. typhimurium Result: negative

Rat - Bone marrow Result: negative Remarks: (ECHA)

Carcinogenicity No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Central nervous system

Aspiration hazard

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

Octadecylamine

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available

Dermal: No data available

LD50 Intraperitoneal - Mouse - 250 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Risk of serious damage to eyes. - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitization No data available

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative

Carcinogenicity

Reproductive toxicity No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

May be fatal if swallowed and enters airways.

Cadmium selenide

Acute toxicity No data available Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l (Expert judgment) Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 4 h (OECD Test Guideline 431) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 1 h (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

Germ cell mutagenicity

Ames test Escherichia coli/Salmonella typhimurium Result: negative

Carcinogenicity

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. -Kidney, Bone Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Components

Toluene

| Toxicity to fish | flow-through test LC50 - Oncorhynchus kisutch (coho salmon) - 5.5 mg/l - 96 h Remarks: (ECHA) |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Ceriodaphnia dubia (water flea) - 3.78 mg/l - 48 h (US-EPA) |
| Toxicity to bacteria | static test EC50 - Bacteria - 84 mg/l - 24 h Remarks: (ECHA) |

Octadecylamine

No data available

Cadmium selenide

No data available

| Toxicity to daphnia | semi-static test EC50 - Daphnia magna (Water flea) - 0.031 |
|---------------------|--|
| and other aquatic | mg/l - 48 h |
| invertebrates | (OECD Test Guideline 202) |
| Toxicity to algae | static test ErC50 - Pseudokirchneriella subcapitata - 0.084 mg/l - 72 h |

Page 13 of 15

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Contaminated packaging

Dispose of as unused product.

| DOT (US) UN number: 1294 Class: 3 Proper shipping name: TolueneSOLUT | Packing group: II ION | |
|---|----------------------------|------------------|
| Reportable Quantity (RQ): 1041 lbs Poison Inhalation Hazard: No | | |
| IMDG UN number: 1294 Class: 3 Proper shipping name: TOLUENESOLU | Packing group: II ITION | EMS-No: F-E, S-D |

UN number: 1294 Class: 3 Packing group: II Proper shipping name: TolueneSOLUTION

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
|---------------|---------------------|--------------------------|
| Zinc sulphide | 1314-98-3 | 2015-07-08 |

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Page 14 of 15

| Massachusetts Right To Know Components Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
|---|---------------------|-----------------------------|
| No components are subject to the Massachusetts Right to Know Act. | | |
| Pennsylvania Right To Know Components Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
| New Jersey Right To Know Components Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
| Octadecylamine | 124-30-1 | |
| Zinc sulphide | 1314-98-3 | 2015-07-08 |
| Cadmium selenide | 1306-24-7 | 2015-07-08 |

SECTION 16: Other information

Further information

Copyright 2019 Ocean Nanotech LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Ocean Nanotech shall not be held liable for any damage resulting from handling or from contact with the above product. See www.oceannanotech.com for additional terms and conditions of sale.