# **SAFETY DATA SHEET**

Version: 2.1.6

Revision Date: 6/15/2019



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Iron Oxide Nanoparticles in Chloroform

Product Number : SOR10

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Supplier Details

Manufacturer/Supplier : Ocean Nanotech, LLC

7964 Arjons Drive Suite G San Diego, CA 92126

**United States** 

Telephone : +1 858 689-8808 Fax : +1 858 689-8809

Email : info@oceannanotech.com

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure, Oral (Category 1), Liver, Kidney, H372

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal	word	Danger

Hazard s	statement(	s)	١
----------	------------	----	---

H302	Harmful if swallowed.
H315	Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs (Liver, Kidney) through prolonged or

repeated exposure if swallowed.

H402 Harmful to aquatic life.

### Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Molecular weight : 159.69 g/mol

Component	Classification	Concentration	
-----------	----------------	---------------	--

Chloroform			
CAS-No.	67-66-3	Acute Tox. 4; Acute Tox.	>= 90 - <=
EC-No.	200-663-8	3; Skin Irrit. 2; Eye Irrit.	100 %
Index-No.	602-006-00-4	2A; Carc. 2; Repr. 2;	
Registration	01-2119486657-20-	STOT SE 3; STOT RE 1;	
number	XXXX	Aquatic Acute 3; H302,	
		H331, H315, H319, H351,	
		H361, H336, H372, H402	
		Concentration limits:	
		20 %: STOT SE 3, H336;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Not combustible.

Ambient fire may liberate hazardous vapours.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not freeze.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

Ingredients With		<del></del>		
Component	CAS-No.	Value	Control	Basis
			parameters	
Chloroform	67-66-3	TWA	10 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
	Remarks	Confirmed	animal carcinoge	en with unknown relevance to
		humans	-	
		ST	2 ppm	USA. NIOSH Recommended
			9.78 mg/m3	Exposure Limits
		Potential O	ccupational Card	inogen
		С	50 ppm	USA. Occupational Exposure
			240 mg/m3	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		PEL	2 ppm	California permissible exposure
			9.78 mg/m3	limits for chemical
				contaminants (Title 8, Article
				107)

### 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

# **Skin protection**

required

# **Body Protection**

protective clothing

#### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: dispersionb) Odor No data available

c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	100 °C 212 °F
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
l) m)		No data available No data available
•		
m)	Relative density	No data available
m) n)	Relative density Water solubility Partition coefficient:	No data available No data available
m) n) o)	Relative density Water solubility Partition coefficient: n-octanol/water Autoignition	No data available No data available No data available
m) n) o)	Relative density Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition	No data available No data available No data available Not applicable
m) n) o) p)	Relative density Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature	No data available No data available No data available Not applicable No data available
m) n) o) p) q) r)	Relative density Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Viscosity	No data available No data available No data available Not applicable No data available No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Oral: No data available

Inhalation: No data available Dermal: No data available

No data available

# **Skin corrosion/irritation**

Mixture causes skin irritation.

### Serious eye damage/eye irritation

Mixture causes serious eye irritation.

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

# Carcinogenicity

Evidence of a carcinogenic effect.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Chloroform)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

Suspected of damaging the unborn child.

Suspected of damaging fertility.

# Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

# Specific target organ toxicity - repeated exposure

Mixture causes damage to organs through prolonged or repeated exposure. - Liver, Kidney

### **Aspiration hazard**

No data available

### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

# **Components**

#### **Chloroform**

# **Acute toxicity**

LD50 Oral - Rat - male - 908 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - Expert judgment - 4 h - 3.1 mg/l

Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 24 h

Remarks: (ECHA)

Drying-out effect resulting in rough and chapped skin.

Skin - Rabbit

Result: slight irritation Remarks: (IUCLID)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

Remarks: (ECHA)

(Regulation (EC) No 1272/2008, Annex VI)

### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(Regulation (EC) No. 440/2008, Annex, B.6)

### Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative Remarks: (ECHA)

unscheduled DNA synthesis assay

Liver

Result: negative Remarks: (ECHA)

OECD Test Guideline 474

Rat - male and female - Red blood cells (erythrocytes)

Result: negative

OECD Test Guideline 486 Rat - male - Liver cells

Result: negative

Mouse - female Result: negative Remarks: (ECHA)

### Carcinogenicity

Suspected of causing cancer.

### **Reproductive toxicity**

Suspected of damaging the unborn child.

# Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Liver, Kidney

### **Aspiration hazard**

No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Mixture**

No data available

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

#### **Components**

### **Chloroform**

Toxicity to algae static test ErC50 - Chlamydomonas reinhardtii (green algae) -

13.3 mg/l - 72 h Remarks: (ECHA)

Toxicity to bacteria Remarks: (ECHA)

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned

containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1888 Class: 6.1 Packing group: III

Proper shipping name: ChloroformSOLUTION

Reportable Quantity (RQ): 10 lbs Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1888 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: CHLOROFORMSOLUTION

IATA

UN number: 1888 Class: 6.1 Packing group: III

Proper shipping name: ChloroformSOLUTION

# **SECTION 15: Regulatory information**

**SARA 302 Components** 

Chloroform CAS-No. Revision Date 67-66-3 2008-11-03

07 00 3

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III,

Section 313:

CAS-No. Revision Date Chloroform 67-66-3 2008-11-03

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

**Reportable Quantity** D022 lbs

,

**Massachusetts Right To Know Components** 

CAS-No. Revision Date Chloroform 67-66-3 2008-11-03

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components** 

Chloroform CAS-No. Revision Date 67-66-3 2008-11-03

Page 10 of 11

# **New Jersey Right To Know Components**

Chloroform

CAS-No. 67-66-3

Revision Date 2008-11-03

#### SECTION 16: Other information

### **Further information**

Copyright 2019 Ocean NanoTech. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Ocean NanoTech and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.oceannanotech.com additional terms and conditions of sale.